PATENT COOPERATION TREATY

TRANSLATION INTERNATIONAL SEARCHING AUTHORITY Τυ: WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing (day/month/year) Applicant's or agent's file reference FOR FURTHER ACTION P01-04088WO See paragraph 2 below International filing date (day/month/year) International application No. Priority date (day/month/year) 14.01.2005 19.01.2004 PCT/JP2005/000349 International Patent Classification (IPC) or both national classification and IPC Applicant PIONEER CORPORATION This opinion contains indications relating to the following items: Box No. I Basis of the opinion Box No. II Priority Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability Box No. IV Lack of unity of invention Reasoned statement under Rule 43bis. 1(a)(i) with regard to novelty, inventive step or industrial Box No. V applicability; citations and explanations supporting such statement Box No. VI Certain documents cited Box No. VII Certain defects in the international application Certain observations on the international application Box No. VIII FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCI/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. For further details, see notes to Form PCT/ISA/220. Authorized officer Name and mailing address of the ISA/JP

Telephone No.

Facsimile No.

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

Box	No. I	Вы	sis of this opinion								
1.			ne language, this o		established or	n the basis	of the intern	national appl	ication in the	language i	n which it was
		This opinio	on has been establis								scarch (under
		Rule 12.3	and 23.1(b)).	 ,							
2.			any nucleotide ar pinion has been est			disclosed	in the inter	national app	lication and	necessary t	o the claimed
	a.	type of ma	terial		•						
		a seq	uence listing				-				
		table	(s) related to the se	quence listing			•				•
	b .	format of r	naterial				•		·		
		in wr	itten format		•						
		in co	mputer readable fo	rm .							
	c.	time of fili	ng/furnishing						• •		
		conta	ained in the interna	tional applicatio	n as filed.						
		filed	together with the i	ntcrnational app	lication in cor	nputer read	table form.	•			
		furni	shed subsequently	to this Authority	for the purpo	ses of sea	ch.				
3.		furnished.	, in the case that the required staten	nents that the inf	ormation in tl	he subsequ	ent or additi	ional copies			
		med or do	es not go beyond th	e apprication as	med, as appr	opnaie, we	re turnisneo		•		
4.	Λdd	itional comm	nents:					• .			
									•		
·								•			
		-					٠				
			•								
		-			-						
											• 1
								•			
				•							

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

-	المست المستمسم المعاولين				o moverty,	inventive	step or ma	ustriai ap	piteubinty	
1.	citations and expl	anauons suppe	nrung such su	atement						
1.	Statement									
	Novelty (N)	Claims _								_ YI
		Claims	1-6							_ N
		.—								
	Inventive step (IS)	Claims _		- · · · - · · · - · · · · · · · · · · ·						_ Y
		Claims _	1-6		_					_ N
							,			
	Industrial applicability (IA)	Claims	1-6			·				_ Y
		Claims _				_				_ N
 <u>2</u>	Citations and explanations:	·	,							
	Claims 1-6 The above-lister feature wherein a thin fi layer actively taking in l	lm of silico	on oxide ni	tride, etc.	formed	by mak	cing an c	rganic-	compou	nd
	The above-lister feature wherein a thin fi layer actively taking in layer above-mentioned descriptions 1-6 The above-lister protective film for an elean hydrogen concentration	Im of siliconydrogen is organic-conspection. d document of not me of not me of not me of not me independent of not me of not not me of not me of not not me of not not me of not not not not not no	on oxide nice or eated by impound la ion for hydrodoes not a 2 cited in escence de ore than 50	tride, etc. y means of yer. lrogen cor appear to the ISR d vice made) atom%.	formed I, e.g., p atent in t involve describes by form	by makelasma () erms of an invertible in the sening a d	the num the num ntive step sections iamond-	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fine active flag active flag for a layer layer active flag for an element of the layer l	Im of siliconydrogen is organic-conspection. d document of not most invention.	on oxide nice or eated by ompound lation for hydrone in does not a control of the control of the presence de core than 50 of the presence or control of the presence de core than 50 of the pr	tride, etc y means of ayer. lrogen cor appear to the ISR of vice made atom%. sent applications applied to the triangle atom at t	formed f, e.g., p atent in t involve: lescribes by form	by makelasma () erms of an invertible in the sening a d	the num the num ntive step sections iamond-	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fit has been above-mentioned description. Claims 1-6 The above-lister protective film for an elea hydrogen concentration. Accordingly the	Im of siliconydrogen is organic-conspection. d document of not most invention.	on oxide nice or eated by ompound lation for hydrone in does not a control of the control of the presence de core than 50 of the presence or control of the presence de core than 50 of the pr	tride, etc y means of ayer. lrogen cor appear to the ISR of vice made atom%. sent applications applied to the triangle atom at t	formed f, e.g., p atent in t involve: lescribes by form	by makelasma () erms of an invertible in the sening a d	the num the num ntive step sections iamond-	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fit has been above-mentioned description. Claims 1-6 The above-lister protective film for an elea hydrogen concentration. Accordingly the	Im of siliconydrogen is organic-conspection. d document of not most invention.	on oxide nice or eated by ompound lation for hydrone in does not a control of the control of the presence de core than 50 of the presence or control of the presence de core than 50 of the pr	tride, etc y means of ayer. lrogen cor appear to the ISR of vice made atom%. sent applications applied to the triangle atom at t	formed f, e.g., p atent in t involve: lescribes by form	by makelasma () erms of an invertible in the sening a d	the num the num ntive step sections iamond-	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fit has been above-mentioned description. Claims 1-6 The above-lister protective film for an elea hydrogen concentration. Accordingly the	Im of siliconydrogen is organic-conspection. d document of not most invention.	on oxide nice or eated by ompound lation for hydrone in does not a control of the control of the presence de core than 50 of the presence or control of the presence de core than 50 of the pr	tride, etc y means of ayer. lrogen cor appear to the ISR of vice made atom%. sent applications applied to the triangle atom at t	formed f, e.g., p atent in t involve: lescribes by form	by makelasma () erms of an invertible in the sening a d	the num the num ntive step sections iamond-	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fit has been above-mentioned description. Claims 1-6 The above-lister protective film for an elea hydrogen concentration. Accordingly the	Im of siliconydrogen is organic-conspection. d document of not most invention.	on oxide nice or eated by ompound lation for hydrone in does not a control of the control of the presence de core than 50 of the presence or control of the presence de core than 50 of the pr	tride, etc y means of ayer. lrogen cor appear to the ISR of vice made atom%. sent applications applied to the triangle atom at t	formed f, e.g., p atent in t involve: lescribes by form	by makelasma () erms of an invertible in the sening a d	the num the num ntive step sections iamond-	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fit has been above-mentioned description. Claims 1-6 The above-lister protective film for an elea hydrogen concentration. Accordingly the	Im of siliconydrogen is organic-consequence application document extrolumination of not most invention who of the about the consequence and the consequence application of the about the consequence and the consequence application of the about the consequence and the consequence application and the consequence applicat	on oxide nits created by impound lation for hydronic description of the preserve-mention of the preser	tride, etc., y means of ayer. Irogen cor appear to the ISR divice made atom%. Sent applicationed descriptions of the tride atom atom application atom application atom application atom application atom application atom atom atom atom atom atom atom atom	formed f, e.g., p atent in t involve: describes by form cation do iption.	by male lasma (lasma (l	ting an of CVD in of the numerative steps is a mondappear to	organic- order to aber val p in vie indicate like can b be nov	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in I deterioration of the said Accordingly the invention of the present above-mentioned descrit Claims 1-6 The above-lister protective film for an elea hydrogen concentration Accordingly the an inventive step in view	Im of siliconydrogen is organic-consequence application. d document extrolumine on of not meet invention wo of the about	on oxide nice or eated by impound later in does not a d	tride, etc. y means of ayer lrogen cor appear to the ISR of vice made atom%. sent applicated descri	formed f, e.g., p atent in t involve describes by form eation do iption.	by makelasma (learns of an inversion the sin the sining a dees not a	ting an of CVD in of the numerative steps is a mondappear to	organic- order to aber val p in vie indicate like can b be nov	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in layer active fit has been above-mentioned description. Claims 1-6 The above-lister protective film for an elea hydrogen concentration. Accordingly the	Im of siliconydrogen is organic-consequence application. d document extrolumine on of not meet invention wo of the about	on oxide nice or eated by impound later in does not a d	tride, etc., y means of ayer. Irogen cor appear to the ISR divice made atom%. Sent applicationed descriptions of the tride atom atom application atom application atom application atom application atom application atom atom atom atom atom atom atom atom	formed f, e.g., p atent in t involve describes by form eation do iption.	by mallasma (lasma (las	cing an o	organic- order to order to order to p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in I deterioration of the said Accordingly the invention of the present above-mentioned descrit Claims 1-6 The above-lister protective film for an elea hydrogen concentration Accordingly the an inventive step in view	Im of siliconydrogen is organic-consequence application. d document extrolumine on of not meet invention wo of the about	on oxide nits created by impound lation for hydrodes not a does not a decreased than 50 of the presove-mention	tride, etc. y means of ayer lrogen cor appear to the ISR of vice made atom%. sent applicated descri	formed f, e.g., partent in the involve seems by form the cation do in the involve seems by form the cation.	by make lasma (lasma (l	ting an o	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the
	The above-lister feature wherein a thin fi layer actively taking in I deterioration of the said Accordingly the invention of the present above-mentioned descrit Claims 1-6 The above-lister protective film for an elea hydrogen concentration Accordingly the an inventive step in view	Im of siliconydrogen is organic-consequence specification ption. If document extrolumination of not make invention when the about the about the about the silvention of the about the abo	on oxide nits created by impound lation for hydrodes not a does not a decreased than 50 of the presove-mention	tride, etc. y means of ayer lrogen cor appear to the ISR of vice made atom%. sent applicated descri	formed f, e.g., partent in the involve seems by form the cation do in the involve seems by form the cation.	by make lasma (lasma (l	cing an o	organic- order to order val p in vie indicate like can	compour prevent ue in the w of the ed above thon film	nd the

PATENT COOPERATION TREATY

TRANSLATION From the INTERNATIONAL SEARCHING AUTHORITY To: WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing (day/month/year) Applicant's or agent's file reference FOR FURTHER ACTION P01-04088WO See paragraph 2 below International application No. International filing date (day/month/year) Priority date (day/month/year) 19.01.2004 PCT/JP2005/000349 14.01.2005 International Patent Classification (IPC) or both national classification and IPC PIONEER CORPORATION This opinion contains indications relating to the following items: Box No. I Basis of the opinion Box No. II Priority Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability Box No. IV Lack of unity of invention Reasoned statement under Rule 43bis. 1(a)(i) with regard to novelty, inventive step or industrial Box No. V applicability; citations and explanations supporting such statement Box No. VI Certain documents cited Box No. VII Certain defects in the international application Box No. VIII Certain observations on the international application FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. For further details, see notes to Form PCT/ISA/220. Name and mailing address of the ISA/JP Authorized officer

Telephone No.

Facsimile No.

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

Box	No. I	Basis of this opinio	າກ			
1.		ard to the language, this less otherwise indicated t	s opinion has been established on the under this item.	e basis of the internations	al application in the languag	ge in which it was
	-Th	is opinion has been estab	olished on the basis of a translation fi	rom the original language	into the following languag	c
			, which is the language of	a translation furnished fo	or the purposes of internation	nal scarch (under
	Ru	de 12.3 and 23.1(b)).		•		
2.			and/or amino acid sequence disc stablished on the basis of:	closed in the internations	al application and necessar	y to the claimed
•	a. typ	e of material				
		a sequence listing			•	
	_	table(s) related to the	sequence listing		•	
	b. for	mat of material				
		in written format				
	. [in computer readable	form		· .	:
	c. tin	ne of filing/furnishing			•	
	Г	contained in the intern	national application as filed.			
	Ē	filed together with the	c international application in compu	ter readable form.		_
	F	furnished subsequentl	ly to this Authority for the purposes	of search.		
3.	L fu	nished, the required state	at more than one version or copy of ements that the information in the state application as filed, as appropri	ubsequent or additional c		
4.	Addition	al comments:			•	
			•			
				•		
ľ		· .			•	
					•	
				•		
						. •
					•	

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

	INTERNATION	AL SEARC	CHING AUTHORI	TY		PCT/JP2	2005/000	349
Box No. V	Reasoned statement citations and expla				velty, inventiv	e step or industri	ial applicability	7;
Statement	Citations and expir	панулы мар	part ung sacar state.					•
Novelty	(N) .	Claims						_ YI
		Claims	1-6			 		_ NO
Inventive	e step (IS)	Claims			,			Y
	• • •	Claims	1-6		1			N
		Clairis						— "
Industria	al applicability (IA)	Claims	1-6					Y
÷		Claims					·	· N
			•				<u> </u>	
. Citations an	d explanations:							
invention above-m Claims 1 protectiv a hydrog	The above-listed re film for an elegen concentration Accordingly the	organic-organi	compound layer ation for hydro on does not ap ent 2 cited in the inescence devi- more than 50 a on of the preser	er. gen conten pear to invo ne ISR desc ce made by tom%. nt application	t in terms of the control of the con	of the number entive step in e sections ind diamond-like	r value in the view of the licated above e carbon film	e e a m wit
an inven	tive step in viev	v of the a	bove-mention	ed descripti	on.		•	
							•	
						٠		
•								-
	: •							
			-					
	•				•			
	•		•					